

The remarkable progress achieved by NIGEP so far in 2004 is summarized in Table 1. Only 395 cases have been reported from 93 villages in January-September 2004. Only 73 of the 93 villages are endemic; the other 20 villages reported only imported cases. 741 of Nigeria's 774 Local Government Areas (LGAs) have reported no cases so far this year, and only 3 cases, all in one village, have been reported from the entire North East Zone of the country in January-September. 84% of Nigeria's cases have been contained in 2004 so far, compared to 74% in 2003 and 66% in 2002. 139 (35%) of this year's cases were contained in case containment centers. Congratulations Nigeria!

Table 1

Nigerian Guinea Worm Eradication Program

Impact of Interventions in Villages Where the Program Intervened During January - September 2003 and 2004					Status Summary: September 2004								
	Number of	Cases			Ν	lumber of Villages	Numbe	Number of cases					
Zone	endemic villages in			% Change	Reporting	Reporting only	Total reporting			% cases			
	which interventions were applied	2003	2004	, e ege	indigenous cases	imported cases	cases	Reported	Contained	contained			
North West	25	59	27	-54%	4	0	4	27	24	89%			
North East	13	36	3	-92%	1	0	1	3	2	67%			
North Central	105	534	139	-74%	36	6	42	218	187	86%			
South West	41	351	54	-85%	19	7	26	84	66	79%			
South East	76	272	51	-81%	13	7	20	63	53	84%			
Total	260	1252	274	-78%	73	20	93	395	332	84%			

<u>Dr. (Mrs.) Lola Sadiq</u> of the WHO office in Nigeria described plans for WHO assistance to help Nigeria strengthen surveillance for dracunculiasis in the vast areas of the country that are now Guinea worm-free, including involvement of existing state epidemiologists, WHO State surveillance officers, and Local

during the same period in 2003 (Figure 3). Another way of visualizing this progress is shown in Figure 4 where the number of zero indigenous case reporting months are denoted by shaded cells for January – September 2002, 2003, and 2004. Whereas in 2002 a total of 15 zero indigenous case months were recorded, there were 27 recorded in 2003, and 41 during 2004, so far!

GHANA: -78% FEWER CASES IN SEPTEMBER 2004

After continuous increases in cases of dracunculiasis during the first half of the 2004 and most of 2003, Ghana's Guinea Worm Eradication Program recorded a reduction of -51% in cases in the third quarter of 2004, from 835 cases to 409 cases. This decline was led by a reduction of -78% in September, and included reductions of -46% in July and -43% in August (Figure 2). Ghana's reported rate of case containment during the third quarter of 2004 remained at a modest 58%. Bear down, Ghana!

While inaugurating a Coastal Belt Water Supply Scheme in Volta Region's Keta District in September, <u>President John Kufuor</u> expressed regret that Ghana now ranks second highest in Guinea worm disease incidence after Sudan, despite the fact that national coverage for rural water supply had increased from 28% in 1994 to 47% in 2004.

Figure 2




Table 2

Number of cases contained and number reported by month during 2004* (Countries arranged in descending order of cases in 2003)

														%
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL*	CONT.
SUDAN	33 / 204	44 / 251	31 / 218	57 / 568	151 / 991	162 / 1253	143 / 1022	56 / 502	7	/	/	/	677 / 5009	14
GHANA	647 / 1214	668 / 1139	625 / 981	593 / 906	671 / 906	281 / 521	134 / 258	85 / 115	19 / 36	/	/	/	3723 / 6076	61
NIGERIA	81 / 102	64 / 73	40 / 48	25 / 31	63 / 69	31 / 37	17 / 23	11 / 12	012					
			_	<u>_</u>	-			_	_					

NUMBER OF CASES CONTAINED / NUMBER OF CASES REPORTED

Figure 3

Indigenous Cases Villages Reported % Reporting % CHANGE 2003 - 2004 Country Reporting 1+ cases in 2003 2004 2004 2003 -120% -100% -80% -60% -40% -20% 0% -100% Uganda (9) 100% 13 1 0 -86% Benin (9) 100% 21 3 9 -77% Ethiopia (9) 3 38 78% 13 -71% Burkina Faso (9) 43 2 99% 149 -69% Nigeria (9) 395 239 100% 1256 -68% Togo (9) 71 100% 507 163 -67% Mauritania (9) 9 100% 9 3 -64% Sudan (8) 3407 69% 13779 5009 -61% Cote d'Ivoire (9) 12 98% 41 16 -59% Mali (9) 185 99% 515 212 -21% Niger (9) 61 100% 155 123 -5% 100% Ghana (9) 6423 6073 645 -47% 4679 77% Total 22881 12043 -64% 99% 2679 Total- Sudan & Ghana 4609 961

Number of Villages/Localities Reporting Cases of Dracunculiasis in 2003, Percentage of Endemic Villages Reporting in 2004*, Number of Indigenous Cases Reported During the Specified Period in 2003 and 2004*, and Percent Change in Cases Reported

(9) Indicates month for which reports were received, e.g., Jan. - Sept. 2004 * Provisional

COUNTRIES REPORTING CASES	NUMBER OF CASES CONTAINED / NUMBER OF CASES REPORTED: JANUARY - SEPTEMBER 2002										
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER		
SUDAN	677 / 1151	576 _/ 1115	607 _/ 1138	⁸⁵⁴ / 1612	2730 / 5426	3110 / 6429	3510 / 6748	2480 / 6442	3249 / 4935		
NIGERIA	³⁵⁰ / ₆₄₇	195 / 336	148 / 220	152 / ₂₃₂	²⁰⁵ / ₂₄₄	222 / 314	143 / 198	125 / 246	107 / 175		
GHANA	⁵³² / ₇₄₁	³⁸⁵ / ₆₇₄	³¹⁵ / ₄₂₉	²⁸⁵ / ₃₇₂	³⁰⁴ / ₄₉₂	277 / 407	171 / 234	120 / 142	105 / 131		
TOGO	148 _{/ 193}	65 _{/ 100}	²⁰ / ₄₀	¹² / ₂₆	44 _{/ 100}	⁵⁴ / ₈₃	71 / 235	44 / 81	⁵² / ₇₂		
BURKINA FASO	6 _/ 10	27 / 31	²⁰ / ₂₂	²² / ₃₂	66 _{/ 83}	⁵⁶ / ₈₅	⁴⁴ / ₄₈	³³ / ₅₀	58 / 67		
MALI	4 / ₅	4 / ₅	4 / ₆	° / 0	² / ₆	⁵ / ₉	²³ / 43	⁷⁸ / 178	178 / 302		
NIGER	⁶ / ₆	° / ₀	⁰ / ₀	⁰ / ₀	4 _{/ 4}	5 / 5	²⁵ / 40	¹⁹ / ₃₀	²³ / ₃₀		
COTE D'IVOIRE	⁹¹ / ₉₁	⁵² / ₅₂	²³ / ₂₄	¹⁰ / ₁₁	1 / 3	² / ₅	⁰ / ₂	² / ₃	² / ₂		
BENIN	²⁸ / ₂₈	⁸ / 11	7 / ₈	⁵ / ₅	1 / 1	4 / 4	² / ₂	7 / 7	15 / 19		
MAURITANIA	° / ₀	° / ₀	⁰ / ₀	⁰ / ₀	° / ₀	² / ₃	5 / 5	7 / 12	5 / 14		
UGANDA	° / ₀	° / ₀	1 / 1	⁰ / ₁	³ / ₃	1 / 4	³ / ₄	³ / ₃	⁵ / ₅		
ETHIOPIA	° _{/ 0}	° / o	² / ₃	¹ / 6	¹¹ / ₁₁	6 _{/ 7}	5 / 5	⁶ / ₆	⁶ / ₆		
TOTAL	1842 / ₂₈₇₂	1312 / 2324	1147 / ₁₈₉₁	1341 / 2297	3371 / 6373	3744 / 7355	4002 / 7564	²⁹²⁴ / ₇₂₀₀	³⁸⁰⁵ / ₅₇₅₈		

COUNTRIES REPORTING CASES	NUMBER OF CASES CONTAINED / NUMBER OF CASES REPORTED: JANUARY - SEPTEMBER 2003										
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER		
SUDAN	261 _/ 1170	122 / 702	271 / 871	²⁵⁶ / ₁₂₂₅	²⁶⁴ / ₂₂₈₄	²⁴¹ / ₂₅₅₇	²⁹⁷ / ₂₅₈₆	²⁸² / ₂₃₈₄	306 / 1787		
GHANA	485 _{/ 903}	769 / 1339	555 _{/ 944}	622 _{/ 940}	524 785	374 / 558	288 / 474	126 / 203	⁸⁶ / ₁₅₈		
NIGERIA	³⁸⁹ / ₅₆₈	179 _{/ 243}	106 / 128	⁵³ / ₆₀	³⁰ / ₅₂	49 / ₅₈	⁴⁹ / ₆₈	³⁴ / ₄₈	²² / ₃₁		
TOGO	110 / 149	28 / 44	²¹ / ₂₉	³⁸ / ₄₄	⁷³ / ₈₇	⁵³ / ₇₂	⁵³ / ₆₃	¹⁴ / 22	18 / 27		
MALI	³ / ₃	4 _{/ 4}	⁵ / ₅	² / ₃	³ / ₃	⁸ / ₈	42 _{/ 84}	⁹² / 160	122 / 250		
BURKINA FASO	⁶ / ₆	1 / 2	0 _{/ 1}	³ / ₅	¹⁴ / 16	27 _{/ 62}	²⁴ / ₃₄	¹² / 19	12 / 21		
NIGER	° / ₀	1 / 1	° / ₀	² / ₂	° / ₀	⁶ / ₆	27 _{/ 37}	³⁰ / 47	³³ / ₇₁		
COTE D'IVOIRE	7 / 21	⁵ / ₈	1 / 2	1 / 4	³ / ₄	1 / 1	1 / 1	° / ₀	° / o		
BENIN	21 21	1 / 1	1 / 1	⁰ / ₀	° / 0	0 _{/ 0}	² / ₂	0 _{/ 0}			
ETHIOPIA	° / o	° / ₀	³ / ₃	7 / 7	7 / 7	⁵ / ₅			4 / 4		
MAURITANIA	° / ₀	° / ₀	° / ₀	⁰ / ₀	° / ₀	1 / 1	² / ₃	1 / 1	3 / 4		
UGANDA	0 / 0	0 / ₀	0 / 0	³ / ₃	⁹ / ₁₁	4 / 6	¹ / ₂	⁰ / ₂	° / ₀		
TOTAL	1282 / 2841	1110 / 2344	⁹⁶³ / 1984	987 _/ 2293	927 _/ 3249	769 _/ 3334	787 / 3355	⁵⁹² / 2887	606 _/ 2353		

COUNTRIES REPORTING CASES	NUMBER OF CASES CONTAINED / NUMBER OF CASES REPORTED: JANUARY - SEPTEMBER 2004								
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
SUDAN	³³ / ₂₀₄	44 / ₂₅₁	³¹ / ₂₁₈	57 _/ 568	151 _{/ 991}	162 / 1253	¹⁴³ / ₁₀₂₂	⁵⁶ / ₅₀₂	/
GHANA	647 _{/ 1214}	668 / 1139	625 / ₉₈₁	⁵⁹³ / ₉₀₆	⁶⁷¹ / ₉₀₆	²⁸¹ / ₅₂₁	¹³⁴ / ₂₅₈	⁸⁵ / 115	¹⁹ / ₃₆
NIGERIA	⁸¹ / ₁₀₂	⁶⁴ / ₇₃	40 / 48	²⁵ / ₃₁	⁶³ / ₆₉	³¹ / ₃₇	17 / 23	¹¹ / ₁₂	0 / 0
MALI	1 / 1	⁰ /1	0 / ₁	° / o	⁵ / ₅	⁹ / 12	²² / ₂₇	45 / ₆₂	⁵⁸ /106
TOGO	³⁵ / ₄₆	²⁰ / ₂₉	18 / 47	¹² / ₂₁	17 / 20	16 / ₂₂	4/6	1 / 3	9/9
NIGER		² / ₂		³ / ₄	4 / ₉	¹³ / ₁₆	²⁸ / ₃₄	²¹ / ₂₈	³⁰ / ₃₄
BURKINA FASO			° / o	² / ₂	⁵ / ₅	² / ₃	⁷ / ₁₃	⁸ / 10	10 / 13
COTE D'IVOIRE	1 / 2	⁵ / ₅	0 / ₅	1 / 4	⁰ / ₁	0 / 0	° / ₀	° / ₀	° / ₀
BENIN	° / o	² / ₂	1 / 1	⁰ / ₀	0 / 0	° / o	° / ₀	° / 0	° / 0
ETHIOPIA	0 / ₀	¹ / ₁	⁰ / ₀		⁶ / ₆	³ / ₅		° / ₀	° / ₀
UGANDA	° / o	⁰ / ₀	° / o	° / o	1 / ₁	° / ₀	° / ₀		1 / ₁
MAURITANIA	1 / 1	⁰ / ₀	° / ₀	° / o	° / ₀	² / ₂	° / ₀	° / ₀	° / ₀
TOTAL*	801 / 1572	⁸⁰⁷ / ₁₅₀₅	716 / 1302	⁶⁹⁵ / ₁₅₃₈	⁹²³ / ₂₀₁₃	⁵¹⁹ / ₁₈₇₁	³⁵⁷ / ₁₃₈₅	228 / 733	¹²⁷ / ₁₉₉

* provisional Shaded cells denote months when zero indigenous cases were reported. Numbers indicate how many imported cases were reported and contained that month. 6

MRS. MADUKA WINS 2004 JIMMY AND ROSALYNN CARTER AWARD

<u>Mrs. Chinyere Maduka</u>, The Carter Center's zonal consultant for the South East zone of Nigeria's Guinea Worm Eradication Program, was presented with this year's Jimmy and Rosalynn Carter Award for Guinea Worm Eradication. Dr. Donald Hopkins of The Carter Center presented the award in recognition of Mrs. Maduka's "exemplary service", dedication and accomplishments in guiding eradication activities in the South East Zone, during the Opening Ceremony of the Program Review in Jos. Mrs. Maduka was among the former employees of the River Blindness Foundation who joined The Carter Center team in Nigeria in 1996. She has led the battle against dracunculiasis in her zone since 1999, when Nigeria's South East Zone reported 4,772 cases of the disease from 622 endemic villages. She has also led the Carter Center's assistance to Anambra, Ebonyi and Enugu States for controlling onchocerciasis since 1996.

IN BRIEF:

Ethiopia. The national coordinator, <u>Mr. Gazahegn Tesfaye</u>, and the new senior EDEP supervisor, <u>Mr. Awoke Misganaw</u>, paid a working visit to Gambella on 15 – 21 September. The security situation in Gambella Region has improved greatly and only Akobo woreda of the 7 restructured woredas remains inaccessible. Gambella Region provided new reports of two indigenous cases and one imported case (from Sudan) in May 2004, and another indigenous case in June 2004. The three cases in May were reportedly contained, but the case in June was not contained. <u>Mr. Adam Thomas</u>, WHO Technical Officer, the national coordinator and the senior supervisor visited the EDEP in Kuraz Woreda, South Omo Region during September 29 – October 7. They confirmed that 12 cases of GWD (all from East Equatoria State, Sudan) were imported during January – September 2004 and that 11 of those were contained.

Togo. Togo held Worm Weeks in Ogou District on 13 - 15 July and in Keran District on 6 - 10 September. Approximately 900 and 1,900 persons were reached during the respective intensive health education sessions. These were Togo's third and fourth Worm Weeks in 2004, all in collaboration with US Peace Corps Volunteers. The first two Worm Weeks of 2004 were held in Sotouboua (13 - 17 April) and Haho (22-25 June) Districts.

RECENT PUBLICATIONS

Chastel C, 2004. When the Egyptian mummies are speaking about the infections that have made them ill. (French) <u>Histoire des Sciences Medicales</u>. 38(2):147-55.

Inclusion of information in the Guinea Worm Wrap-Up does not constitute "publication" of that information. In memory of BOB KAISER.

For information about the GW Wrap-Up, contact Dr. James H. Maguire, Director, WHO Collaborating Center for Research, Training, and Eradication of Dracunculiasis, NCID, Centers for Disease Control and Prevention, F-22, 4770 Buford Highway, NE, Atlanta, GA 30341-3724, U.S.A. FAX: 770-488-7761. The GW Wrap-Up web location is <u>http://www.cdc.gov/ncidod/dpd/parasites/guineaworm/default.htm</u>.

