Public Health Service
Centers for Disease Control
and Prevention (CDC)

Memorandum

Date: January 9, 2012

From: WHO Collaborating Center for
Research, Training and Eradication of Dracunculiasis

Subject:

MALI: GETTING CLOSE, BUT MIND THE GAPS

Mali has reported only 12 cases of dracunculiasis in 2011, which is a dramatic reduction of 79% from the 57 cases it reported in 2010. 2011 marked the first year ever that Mali did not export cases to any of its neighbors, particularly to Niger! There are, however, reasons to worry whether Mali has broken transmission or will do so soon, or will suffer another surprise outbreak. The cases in 2011 resided in six villages, spread over six different regions. Only 5 of the cases (42%) were contained, and the sources of some of the cases are still uncertain. Five of the 7 uncontained cases are believed not to have infected anyone else, either because no surface water sources existed when the worms emerged (Alkite village), or because ABATE was used within a

PROCEDURE FOR THE COLLECTION AND SHIPMENT OF SPECIMENS TO US CENTERS FOR DISEASE CONTROL AND PREVENTION (CDC).

In order to perform both morphologic and molecular evaluation of worm specimens that is necessary to confirm the diagnosis of dracunculiasis (Guinea worm disease) caused by *Dracunculus medinensis*, it is critical that specimens be preserved properly. Most importantly, specimens should NOT be fixed or preserved in formalin solution as that destroys the ability to perform molecular analysis. The ideal preservative, widely available even in remote field settings, is alcohol. Ethyl alcohol (ethanol) is preferable, and any concentration between 30 – 70% is acceptable. The specimen should be placed in a small vial or tube with enough preservative to cover the specimen. Preferably a non-breakable container such as plastic centrifuge tube should be used. The container should be tightly sealed and placed in a plastic bag to prevent leakage, packaged and labeled with as much information about the case as is available, and sent by courier to Dr. Mark Eberhard, Division of Parasitic Diseases and Malaria, CDC, 1600 Clifton Rd NE, Atlanta, GA 30333.

IN BRIEF:

In Ethiopia, Dr. Zerihun Tadesse made his fourth supervisory visit to the program in Gambella Region on October 23-26. Ethiopia has not reported an endemic case of dracunculiasis for the past six months, beginning in July 2011.

RECENT PUBLICATIONS

Choubisa SL, Verma R, Choubisa L, 2010. Dracunculiasis in tribal region of southern Rajasthan, India: a case report. J Parasit Dis (India) 34(2):94-96.

Choubisa SL, 2002. Guinea worm (Dracunculus medinensis) in Rajasthan, India: A case report. J Parasit Dis (India) 26(2):105-106.

Stepan NL, 2011. "Eradication: Ridding the World of Diseases Forever?" Ithaca, NY: Cornell University Press.

World Health Organization, 2011. Monthly report on dracunculiasis cases, January-September 2011. Wkly Epidemiol Rec 86:556.

World Health Organization, 2011. Monthly report on dracunculiasis, January-October 2011. Wkly Epidemiol Rec 86:580.

Inclusion of information in the Guinea Worm Wrap-Up does not constitute "publication" of that information.
In memory of BOB KAISER

WHO Collaborating Center for Research, Training, and Eradication of Dracunculiasis, Center for Global Health, Centers for Disease Control and Prevention, Mailstop C-09, 1600 Clifton Road NE, Atlanta, GA 30333, USA, email: gwwrapup@cdc.gov, fax: 404-728-8040. *The GW Wrap-Up web location is* http://www.cdc.gov/parasites/guineaworm/publications.html#gwwp

Back issues are also available on the Carter Center web site English and French are located at *http://www.cartercenter.org/news/publications/health/guinea_worm_wrapup_english.html*. *http://www.cartercenter.org/news/publications/health/guinea_worm_wrapup_francais.html*