Table 1

MALI GWEP LISTING OF HUMAN CASE AND DOG INFECTIONS: YEAR 2021

Date of emergence	Entered water?	Abate Applied? (Y/N)	Contained? * (Y/N)	Total # of GW
	No	Yes	Yes	1
	No	Yes	Yes	2
	Yes	Yes	No	1
	Yes	No	No	1
	No	No	Yes	1

* All containment criteria must be met:

i. The dog or human must be detected and tethered within 24 hours of emergence.

ii. The dog or human did not enter a water source with a worm emerging.

iii. The dog or human was tied up or isolated before the worm came out until the wound healed and the household received health education.

iv. Supervisor confirms Guinea worm infection/case within seven (7) days of emergence.

v. Abate was utilized if there was a possibility of a contamination.

Table 2

MALI GUINEA WORM ERADICATION PROGRAM

41 Localities Reporting Guinea Worm Infections in 2016 August 2021

Village #	Village Name	Sanitary District	District	Region	Year and Number of Cases					
					2016	2017	2018	2019	2020	2021
1	Dimana	Fangasso	Tominian	Segou	1					
2	Masso	Fangasso	Tominian	Segou	2		1	2		
3	Mampe	Fangasso	Tominian	Segou	1	1	1			
4	Bathiridougou	Ouan	Tominian	Segou	2					
5	Kantama	Ouan	Tominian	Segou	1	1				
6	Bosokuy	Ouan	Tominian	Segou	1					

whose worm was not contained. Nyirol County in Jonglei State had a Guinea worm case in 2013 and 2018.

The SSGWEP also reported a Guinea worm case, since confirmed by the CDC laboratory, in a 13-year-old Dinka girl whose worm emerged on July 23 in Kenegal Cattle Camp, Rumbek North County of Lakes State. Her infection was contained. The patient and her family moved frequently between villages and cattle camps in 2020 during the period when she was likely infected, where she fetched water and milked cows. The last known Guinea worm cases in Lakes State before this were four cases in Rumbek Center County and three cases in Rumbek North County in 2018 who were also cattle herders.

The SSGWEP reported 21,682 rumors of Guinea worm infections from January to June 2021. All were investigated, including 99% investigated within 24 hours. To help increase Guinea worm surveillance in the country, SSGWEP through the WHO Country Office has integrated training on Guinea worm diseases, surveillance, and cash reward in the ongoing IDSR, polio and EPI field surveillance officers' trainings.

Mr. Jim Niquette, former Carter Center Country Representative in Ghana, has arrived in Juba as interim Carter Center Country Representative in South Sudan to the SSGWEP and the Trachoma Control Program. Welcome back aboard Jim!!

ETHIOPIA

The Ethiopian Dracunculiasis Eradication Program (EDEP) has reported one human case (contained, and presumed source known) of Guinea worm disease and no infected animals so far in 2021, compared to 7 humans, 3 dogs, 3 baboons, and 4 cats detected in January-July 2020. A total of 1,942 dogs and 268 cats were proactively tethered in Gog and Abobo districts of Gambella Region as of June 2021. The EDEP and associated researchers will resume trapping and examining baboons in Guinea worm-endemic and non-endemic areas of Gambella Region in October. The EDEP and its staff have continued to track six baboon troops in peridomestic endemic areas of Gog district. The program and allies also plan to integrate data from ground tracking and GPS collars on baboons, remote sensing, and satellite imagery to help find and apply Abate® to water sources used by baboons, including under dense forest canopy, as well as water sources shared by baboons and dogs.

ANGOLA

Angola continues to make progress in expanding and strengthening community-based surveillance (CBS) activities in Cunene, which is the only province in Angola where indigenous transmission of dracunculiasis has been confirmed. Angola reported zero human cases and zero infected animals so far in 2021.

In August 2021,

- the program visited 13 at-risk villages and settlements, in two endemic municipalities (Cuanhama and Namacunde) – more than 780 persons were sensitized on the cash reward scheme and on Guinea worm disease prevention.
- 5 health facilities received direct supervision

- 3 rumors were recorded and investigated (100%) within 24 hours in the municipality of Namacunde, Cunene; none of them turned out to be confirmed Guinea worm cases
- 2 surveillance and follow-up visits were conducted for the 2020 human cases and the 2019 animal infection.
- 3 additional unsafe water sources were mapped, and nearly 100 families were given cloth filters.

Guinea worm surveillance is also being expanded and reinforced in three provinces – Huila, Namibe and Cuando Cubango neighboring Cunene. One hundred seventy-five (175) health professionals and community health workers have been identified from 24 communes in the 3 provinces that share borders with Cunene.

During the period of April to August 2021, searches for Guinea worms cases and animal infections were integrated into other public health program field activities, such as the Angola – Democratic Republic of Congo cross-border assessment of leprosy, Buruli ulcer, yaws, and human trypanosomiasis; the Knowledge, Attitudes and Practices

Figure 4

Figure4, above, shows the geographic area selected for the first phase of expansion of the community-based surveillance (CBS) system in municipalities neighboring Cunene province, including Namibe,

Table 3

Number of Laboratory-Confirmed Cases of Guinea Worm Disease, and Number Reported Contained by Month during 2021*

RENN MCCLINTIC-DOYLE, GUINEA WORM ERADICATION STALWART, RETIRES

Mrs. Renn McClintic-Doyle, office manager for the Guinea Worm Eradication Program, retired from The Carter Center on August 2, 2021, after nearly 30 years of service. Mrs. McClintic-Doyle joined The Carter Center in 1992 to provide administrative support to Dr. Ernesto Ruiz-Tiben and the growing effort to eradicate Guinea worm disease. Her steadfast administrative support continued, eventually becoming the program's office manager. In her roles, she coordinated staff travel and support to overseas consultants, organized international program review meetings and conferences, and made certain the program could function seamlessly. In addition, she helped produce the GWUP journal articles, and health education flip charts and archive publications. She also became the resident spatial map maker, for which this publication has benefited greatly. During her tenure, Mrs. McClintic-Doyle earned a Master's degree in health care administration and a Master's in education, both from the University of Phoenix. All her achievements, both in and out of the office, helped inspire everyone who met her. Team Guinea worm misses you already, Renn, though we know your next chapter will bring you the joy and satisfaction you deserve! Thank you!!

RECENT PUBLICATIONS

Kelly-Hope L.A., Molyneux D.H., 2021. Quantifying conflict zones as a challenge to certification of Guinea worm eradication in Africa: a new analytical approach. BMJ Open 11:e049732. doi:10.1136/bmjopen-2021-049732