Summary
2007 Program Review for The Lions-Carter Center SightFirst River Blindness Programs
Cameroon, Ethiopia, Nigeria, OEPA, Sudan, and Uganda
6 – 8 February 2008
The Carter Center
Atlanta, GA

August 2008

Figure A



Figure C **Group Photo: 2007 Program Review for The Carter Center River Blindness Program**

Figure D

Treatments with Mectizan® in the Americas: 1989-2012



Figure E

Decreasing Skin Snip Positivity in 6 Localities in Abu Hamad Focus Elimination Effort in Sudan

Figure F

TABLE OF CONTENTS

1
6
8
12
16
17
24
29
31
42
44
46
50
53
55
63
69
73
82
85
87
97
99
103
105
106
112
115
117
119
126
145

EXECUTIVE SUMMARY

199,599 2007, 75% 2006 92%. b b

1,945,986 2007, 97% b 87% 2006 b b b 35,835 2007.

GENERAL 2008 RECOMMENDATIONS FOR THE CARTER CENTER'S RIVER BLINDNESS PROGRAM



Treatment Objective for 2008 for onchocerciasis: 13,442,586 treatments.

Training Objective for 2008: CDDs (225,839) and community supervisors (38,345).

Figure 1

2007 Mectizan® Mass Treatment Figures for Carter Center River Blindness Program (RBP)-Assisted Areas in Nigeri

Figure 3

Carter Center-Assisted Programs: Percent of Ultimate Treatment Goals Reached in 2006 and 2007

ONCHOCERCIASIS ELIMINATION PROGRAM FOR THE AMERICAS (OEPA)

Treatments

94% (2) 339,976. 2007, / 2008 b -

891,484 2007 2008 (2) 693,356.

Status of Ocular Morbidity in the Region

2007. 2007,

9 13

(<1%

).

10

Status of Transmission in the Region

(,

,).

( )

(11).

2007 2012

2015

2012.

The Need for a New Resolution from PAHO

1991

/

2008.

2012.

2012 2008-2012

2008 RECOMMENDATIONS for OEPA

2008-2012 . b . b 2012.

(b).

b , Y .

13- b , ( ) .

( ) . ( ).

b . (.), . ( ), , ( ), b .

Figure 5

OEPA: 13 Onchocerciasis Foci

Figure 6

OEPA: Treatments with Mectizan® in the Americas 1989-2007



Figure 7

OEPA: Carter Center-Assisted Treatments in the Americas by focus, 2007

Focus	Communities	Pop. at risk	Eligible Pop. (UTG)	Pop. treated 1st Rd	Treatment coverage %	Pop. treated 2nd Rd	Treaa

Figure 8

OEPA: IACO 2007 in Quito, Ecuador

Viceminister of Health of Ecuador, declaring suspension of treatment in the Subfocus of Rio Santiago in 2008.

Figure 9

OEPA: Lions Involvement

Dr. Ramiro Peña Constante; Sra. Margarita Peña, Ecuador; Dr. Ronald Guderian, former director of Ecuador Program; Ms. Kriste

Figure 10

OEPA: New Ocular Morbidity from onchocerciasis in the 13 foci of the Americas (baseline and most recent evaluation in both sentinel and extra

The "Oncho Flag":



5.70081 (, 58 501.90088 .) 12 0 0 12 16.078066 501.90

Monitoring, Evaluation and Research:

2007
2006 21
22).

Entomology Data from Three Onchocerciasis Foci Targeted for Elimination Wadelai, Bwindi, and Mount Elgon:

Wadelai focus: 2005,

Kashoya-Kitomi focus: 2007, 63
2007 *Simulium neavei spp* 66.3% , 2005 1.6%

2008 RECOMMENDATIONS FOR CARTER CENTER UGANDA

GENERAL

2008, b

1 100



Treatment Objective for 2008: 2,114,041 persons.

Annual = 883,945 persons.

Semiannual (UTG(2)) = 1,230,096 treatments.

Training Objective for 2008: 45,880 new CDDs (Total=87,060 old and new), 2,832 new Community Supervisors (Total =5,664 old and new).

Figure 12

Uganda: Carter Center Assisted Districts

Figure 13

Uganda: plan for onchocerciasis elimination

Figure 14

Figure 16

Uganda: Treatment Coverage, 2007: Semiannual Treatment areas

Focus	District	No. of Com	Pop at risk	UTG	Treated in Rd 1	Treated in Rd 2	UTG Cov. Rd 1	UTG Cov. Rd 2	Total Treated	UTG(2)	Cov. UTG 2 Ẍ

Figure 17

Uganda: Carter Center-Assisted treatments and total Mectizan® treatments provided, 1991-2007*



Figure 18


Uganda: Number of CDTI workers available at the community level (2004-2007)
60,000
55,000
50,000
45,000
40,000
35,000
30,000
25,000
20,000
15,000
10,000
5,000
0
Number Trained
34,231
4432
34,289
4432
40,843
6829
57,078
8062
2004
2005
2006
2007
Period of Training

Figure 19


Uganda: CDDs trained or retrained, 2000 - 2007
60000
50000
40000
30000
20000
10000
0
31,438
2,793
34,231
34,231
58
34,289
34,289
6,554
40,843
40,843
11,927
52,770
2004
2005
2006
2007

Figure 20

Uganda Financial Contributions in US dollars (2001 – 2007)



Figure 21

Uganda: Progress on Community Ownership



Figure 22


Uganda: Building Community Ownership from 2004 - 2007
Percentage Perticipated
100
90
80
70
60
50
40
30
20
10
0
2004
2005
2006
2007
0.8
0
0
0
59
58
61
66
83
72
78
77
92
93
93
97
b
b
Activity
Less is better
More is better
Desired level

NORTH SUDAN

Background:

25 9 1997 20031- 040191 420

2008 RECOMMENDATIONS FOR THE CARTER CENTER SUDAN

GENERAL

2008,

b

1 100

b

b

b

b

b

SPECIFIC

b ( )

b .

2007 b .

≥ 85%,

b b

( ) .

b

-16 (.

b . . . , b b
b.

Figure 23

Sudan Khartoum office: Program Areas

Figure 24

Dr. Nabil, newly appointed Resident Technical Advisor for The Carter Center in Khartoum, with Dr. Al Khair Khalef Allah, Chairman of Khartoum Lions Club.

CAMEROON

Background: 62%
( ), b ( )
1992, b ( ) 1996 (,
27).
b b b b
b 1996 -
b 403
( ) ( ), .
( ) ( ), .
( ). b
( ) 2004
b
2001,
( ) 8 4 22 1 3 (( )

Training and Health Education: . 2006, , 16,286
- b ( ) . (103%
2007 b) 8,564 (52.5%).
11,158 2006, 46% (31).
/ b b .
1 575 2001 156 2007. b 33%
.

Loa loa: *Loa loa*
2007,

2008 RECOMMENDATIONS FOR THE CARTER CENTER CAMEROON

GENERAL

2008, b



Treatment Objective for 2008: 1,692,249 persons.

Training Objective for 2008: 32,572 CDDs (16,286 new). 11,892 Community Supervisors (5,946 new).

Cameroon
er Center - Assisted Provinces



Figure 28



Figure 29

Figure 30

Cameroon: Carter Center-Assisted Areas:
2007 Mass and Passive River Blindness Treatments

Provinces	Tota

Figure 32

Cameroon: Financial Contributions (in USD), 2001 – 2007



Figure 33

Cameroon: Comparison of Annual Performance on Community Policy Factors in Carter Center-Assisted Areas

Province	Round	UTG - Total Children (6- 59 months)	Children Treated	% UTG treated	UTG for Communities	Comm. Treated	% comm. treated
West	1	255,237	203,390	80	2,474	2,474	100
	2	255,237	157,989	62	2,474	2,474	100
North	1	83,877	59,562	71	1,157	1,157	100
	2	83,877	22,607	27	1,157	1,157	100

NIGERIA

b ( ), 40% b b 27 32 (b b 22-27). ( ) b 14 2007 (b b 35). 2007, 20% .

Background: b-

Training and Health Education: b 19,111 b 2007 ( ). b b - b 2005-2006. 5,000 2007 2006. ' 14,963 - b ( ), 1,832 2,316 - . b 2.1, 1.2 2006. 365 (1100), b 1532 2006. , 38% b . 80%

Financial Contribution: 2001-2007 (38) b b , b 2007, b 19% . b 19% (. -), - . b 62%.

, 1,836 , 23% - b . $1.37 (125). - b 2.5 ($20,425), $4,000 2006. , b 2007 2006, b *per* b . - b (b) 3.8 ($30,714), 60% 2006. - b (b) 3.3 ($26,294), 2006, b (50%) 2005.

The Integrated Program in Plateau and Nasarawa: ( ) b

b / b -b ( ) - b 1999 b 2000.

b

2008.

Malaria:

. 2008, , , . . . b . . / -
. . . . . 1.5 . . Z b . , .
1,000,000 - , ...
. . . . . Z (. . $0.20 .
.) . . . . . .
. , Z . . . . . .
. . . . . 2008, ...
. . . . . b . , .
. . . .

b *Loa loa*, *Loa loa*
b
2007. b 200,000
2008.

2008 RECOMMENDATIONS FOR CARTER CENTER NIGERIA

All States

GENERAL

2008,

b

b

1 100

b

b

b 404 b

b

b

SPECIFIC

-

b

( ) b

Plateau and Nasarawa States' Integrated Program:

( )

, b b



Treatment Objectives for Plateau and Nasarawa States, 2008:

Ivermectin/Albendazole: 2,646,723 persons.

Ivermectin: 1,060,929 persons.

PZQ: 926,913 persons

ITN: 206,667 persons.

VAS: 900,000 treatments.

Training Objective for 2008: 10,589 CDDs and 3,638 community supervisors.

Southeastern States:

Figure 36

Nigeria: Lions/Carter Center-Assisted States

Figure 37

Nigeria: Lions-Carter Center-Assisted Areas: 2007 Mass River Blindness Treatments

100.00

Fiç re 38

Nigeria Financial Contributions (in USD) 2001 – 2007*



Figure 39

Nigeria: 2007 Lymphatic Filariasis and Schistosomiasis Treatments

		2007	( ) 2007	% 2007	2007	% 2007	2007	2007	% 2007
	17	1,986,499	2,132,287	93.2%	2,665,359	74.5%	2,571	2,577	99.8%
	13	1,428,301	1,520,572	93.9%	1,900,715	75.1%	1,061	1,061	100.0%
TOTAL	**30**	**3,414,800**	**3,652,859**	**93.5%**	**4,566,074**	**74.8%**	**3,632**	**3,638**	**99.8%**

Name of State	No. of LGAs	Popn treated cumulative for Y2007	ATO for Y2007	% ATO for 2007
Plateau	5	39,714	69,697	57.0%
Nasarawa	4	116,733	76,142	153.3%
Delta	8	46,494	46,500	100.0%
TOTAL	**17**	**202,941**	**192,339**	**107.3%**

Figure 40

Nigeria: Lymphatic Filariasis Treatments: Plateau and Nasarawa States



Figure 41

Nigeria Thick Smear Results (LF) Comparing Baseline Data with 2007 Data in Ten Sentinel Sites of Plateau and Nasarawa States

VILLAGE	Baseline Data: 2002/2003			2007 Data		
	Number postive	Sample size	Percent positive	Number postive	Sample size	Percent positive
	2	424	0.5%	0	81	0.0%
	1	402	0.2%	0	20	0.0%
b	12	261	4.6%	0	96	0.0%
	21	419	5.0%	2	151	1.3%
b *	19	508	3.7%	0	196	0.0%
**	33	494	6.7%	2	128	1.6%
	9	274	3.3%	2	117	1.7%
	23	486	4.7%	1	158	0.6%
*	56	527	10.6%	1	133	0.8%
	176	3,795	4.6%	8	1,080	0.7%

* Began receiving insecticide-treated bed nets in 2004

** Gwamlar baseline data from 2005

Figure 42

Nigeria: Collaboration between LF and Malaria Programs

Bed Net Distribution in 2007

Name of State	No. of LGAs	Popn recvd ITN

Figure 43

Nigeria: Schistosomiasis Treatments: Plateau, Nasarawa and Delta States

1999-2007



1999-2007, with 2008 projection



ETHIOPIA

Background:

Training and Health Education: , 32,661 -
b ( ) , 28,179 ( ) . 4,482
. (, , . , 47 .
48). 2% . 2006 (33,299).
1113, 2006 1103. , 9%
. 1,977 , 5%
2006 (2,072). 14,344 ,
, 100% , . 2008
, 41,220 (8,297 .) . 2,198 .
b . , , , , . ,
. . 90% . , , . ,
49 . 50 , .
. (, 51 0 4526

2008 RECOMMENDATIONS FOR CARTER CENTER ETHIOPIA

GENERAL

2008,

b

3, 166.02736

Treatment Objective for 2008: 3,024,138 persons

Training Objective for 2008: 41,220 (with 8,297 new CDDs) and 2,198 community supervisors

Figure 44

Ethiopia: Lions-Carter Center-Assisted CDTI Projects



Figure 45

Ethiopia: Lions-Carter Center-Assisted Areas: 2007 River Blindness Treatments

CDTI Zone	Popn treated cumulative 2007	Ultimate

Figure 46

Ethiopia: 2001-2007 Mectizan® Treatments and 2008 UTG*



Figure 47

Ethiopia: Training of CDDs 2001-2007



Figure 48

Ethiopia: Training of CDDs 2001-2007

Figure 49


Ethiopia: Progress on Community Ownership
100
90
80
70
60
50
40
30
20
10
0
Gave incentives
Mobilized community members
Selected CDD

Figure 50

Ethiopia: Ratio of CDDs and Community Health Supervisors to Population and Community

Name of zone	Total population for 2007	No of Villages/communities	Number of CDDs	Number of Community Supervisors	Ratio of CDDs to Community	Ratio of CDDs to Population	Ratio of Community Supervisors to community
Kaffa	877,490	3,155	5,720	282	2:1	1: 153	1:11
Sheka	193,135	571	1,139	64	2:1	1: 170	1:9
B. Maji	593,101	1,195	1,947	268	2:1	1:305	1:4
N. Gondar	302,604	904	3,624	654	4:1	1:84	1:1
Illubabor	651,399	3,704	8,827	342	2:1	1:74	1:11
Jimma	848,678	4,123	9,490	192	2:1	1:89	1:21
Metekel	140,182	289	864	106	3:1	1:162	1:3
Gambella	87,721	403	1,050	69	3:1	1:84	1:6
TOTAL	3,694,310	14,344	32,661	1,977	2:1	1:113	1:7

Figure 51

Ethiopia: Training Plan 2008

	CDDs			Community Supervisors			Health Workers		
	New	Refresher	Total	New	Refresher	Total	New	Refresher	Total
Kaffa	572	5,148	5,720	28	254	282	42	375	417
Sheka	904	1,139	2,043	45	71	116	20	90	110
B. Maji	9,50	163800101 Tc 0 Tw /P ≥99 TE29964629791 Tm(9047T12797452466067 495.41879 Tm(28							

Figure 52

Ethiopia: Government Financial Contribution at Zonal Level

Zone	No. of persons treated	Total amount released from Government (USD)	District Level	
			No of woredas	% released to the woredas
Kaffa	689,566	20,960	11	75
Sheka	153,807	6,295	5	75
Bench Maji	417,714	5928	10	75
North Gondar	211,953	4,685	3	75
Illubabor	528,754	25,860	12	75
Jimma	704,113	20,762	4	75
Metekel	99,660	18,263	4	75
Gambella	77,901	19,211	4	75
TOTAL	2,883,468	121,964	53	75

Figure 53

Ethiopia: Potential Lymphatic Filariasis-Endemic Areas



Acronyms

.....

.....
.....
.....
.....
.....
.....
.....*Onchocerca volvulus*
.....
.....-,-
.....
.....( )
.....
.....
Z .....
.....
.....
.....
.....
.....
.....*Schistosomiasis haematobium* ( )
.....8.....66. 0167

ANNEX 1
River Blindness and The Carter Center

, b *Onchocerca volvulus*,
b b
b b , ,
b " b ."
, -
b

	Z	2002	2007
	Z	2002	2008
	Z *	2004	**2008 Aug**
	b Z *	2004	**2008 Sept**

* 2004, b b 2005

Partners in the Americas Programs: ( ).
82, b 97947 526.80054
b b 2015. ,
(, b , , , , .
).

ANNEX 2: Experiences of the Post-APOC, Post-NGDO sustainability trial



2006 - 2007.

Annex Figure 3: Carte

ANNEX 3: LIST OF PARTICIPANTS

The Carter Center Atlanta

The Carter Center Field Office Staff

Country Representatives

Lions Clubs International Foundation

University and NGDO personnel and special guests

ANNEX 4: CONTACT LIST

Mr. Josef Amann
Centers for Disease Control & Prevention
1600 Clifton Road, NE
Bldg. 21, Cubicle 09123.1
MS D69
Atlanta, Georgia 30333
Office: 404-639-7463
Email: JUA6@cdc.gov

Dr. Uche Amazigo
African Programme for Onchocerciasis Control (APOC)
01 BP 549
Ouagadougou, 01
Burkina Faso
Office: 22650342953/ 226-50342277
Fax: 22650342875
Email: dirapoc@oncho.oms.bf

Dr. Tebebe Berhan
Villa Berhan 25, Mauritania St., K03/04
P.O.Box 40193
Addis Ababa,
Ethiopia
Office: 251 11 551 4928
Fax: 251 11 551 3979
Email: tebebe.yberhan@ethionet.et

Mr. Estifanos Biru
The Carter Center-Ethiopia
P.O.Box 13373
Bole KK, Kebele 05, House No. 956
Addis Ababa,
Ethiopia
Office: 251-11 - 651 7453
Cell: 251-91- 100 4695
Fax: 251-11-663-2469
Email: Estifanos_b@yahoo.com

Dr. Stanley Bubikire
Disability Prevention & Rehabilitation Program
PO Box 7272
Kampala,
Uganda
Office: 256 414 251930
Cell: 256 772 505157
Email: bubikire@yahoo.com

Dr. Paul Cantey
Centers for Disease Control & Prevention
4770 Buford Hwy
Chamblee, Bldg 102, Rm 1315
MS F22
Atlanta, GA 30341
Office: 770 488 7781

Mr. Teshome Gebre
The Carter Center Ethiopia
P.O.Box 13373
Bole KK, Kebele 05, House No. 956
Addis Ababa,
Ethiopia
Office: 251-11-661-5980
Cell: 251-91- 120 3524
Fax: 251-11-663-2469
Email: global2000@ethionet.et

Dr. Julie Gutman
Emory Univ. School of Medicine
Division of Pediatric Infectious Diseases
1405 Clifton Road NE
MS 1440-001-1AA
Atlanta, Georgia 30322
Cell: 404-803-2833
Email: jrgutma@emory.edu

Ms. Peace Habomugisha
The Carter Center Uganda
Plot 15 Bombo Road
Vector Control Building
Ministry of Health
Kampala,
Uganda
Office: 256-41-251025
Cell: 0772414982
Fax: 256-41-349139

Dr. Patrick Lammie
Centers for Disease Control & Prevention
4770 Buford Hwy
Bldg. 102, Room 1002C
MS F13
Atlanta, Georgia 30341
Office: 770-488-4054
Fax: 770-488-4108
Email: PJL1@cdc.gov

Dr. Charles Mackenzie
Michigan State University
Department of Pathobiology and Diagnostic Investigation
4125 Beaumont Road
Lansing, Michigan 48910-8107
Office: (517) 353-4364
Cell: 5173166566
Fax: (517) 432-5836
Email: mackenz8@msu.edu

Dr. Tong Chor Malek Deran
National River Blindness Control Program
Federal Ministry of Health
PO Box 631
Khartoum,
Sudan
Office: 249-183-772-310
Cell: 249 913 039 481
Fax: 249 1 83 741 421
Email: tong_schewitaak@hotmail.com

Dr. Els Mathieu
Centers for Disease Control & Prevention
4770 Buford Hwy
Bldg. 101, G110
MS F22
Atlanta, Georgia 30341
Office: 770-488-3603
Fax: 770-488-4465
Email: EMM7@cdc.gov

Dr. Deborah McDeborah89215 r0.05em( )TjETEMC .473713241BT/TT0 1 Tf-0.00011 T31472.15 38 .473713241BTd( )TjET

Dr. Stephen Smith
Centers for Disease Control & Prevention
4770 Buford Highway
Bldg. 23, MS F12
Atlanta, Georgia 30341
Office: 770-488-4025
Cell: 678-665-4316
Fax: 770-488-4108
Email: apd7@cdc.gov

Mr. Getachew Temeche
The Carter Center-Ethiopia
PO Box 13373
Bole KK, Kebele 05, House No. 956
Addis AbBole KK, K

ANNEX 5

Twelfth Annual River Blindness Program Review Agenda
Wednesday February 6 – Friday February 8, 2008
The Carter Center, Atlanta, GA

Day 1: Wednesday February 6, 2008

8:00	*Shuttle pickup at hotel*	
8:30 – 9:00	*Continental breakfast*	

9:00 – 9:25 Welcome, introduction and remarks

Day 2: Thursday February 7, 2008

8:00	*Shuttle pickup at hotel*	
8:30 – 9:00	*Continental breakfast*	
Part 2: Sustainability through Integration and Kinship Systems in Africa, Monitoring of the 13 foci in the Americas		
9:00 – 9:05	Introduction to Day 2	Dr. Moses Katabarwa
9:05 – 9:35 9:35 – 9:50	Cameroon presentation *Discussion*	Dr. Albert Eyamba
9:50 – 10:20 10:25 – 10:35	OEPA presentation *Discussion*	Dr. Mauricio Sauerbrey
10:35 – 10:50	*Coffee Break*	
10:50 – 11:20 11:20 – 11:35	Nigeria presentation (Plateau and Nasarawa Gates integration activities) *Discussion*	Dr. Abel Eigege
11:35 – 12:05 12:05 – 12:20	Nigeria presentation (Southeast Gates integration activities) *Discussion*	Dr. Emmanuel Emukah
12:20 – 1:15	*Lunch*	
1:15 – 1:30 1:30 – 1:45	Schistosomiasis recrudescense and rotation plans *Discussion*	Dr. Frank Richards
1:45 – 2:15 2:15 – 2:30	Ethiopia presentation *Discussion*	Mr. Teshome Gebre
2:30 – 3:00 3:00 – 3:15	Uganda presentation *Discussion*	Ms. Peace Habomugisha
3:15 – 3:45	*Coffee Break and Group Photo*	
3:45 – 4:15 4:15 – 4:30	Sudan presentation *Discussion*	Dr. Tong Chor Malek
4:30 – 4:45 4:45 – 5:00	Mectizan Resistance *Discussion*	Dr. Ed Cupp
5:00 – 5:15	Day 2 Conclusions	Dr. Frank Richards
5:15 7:15	*Session Adjourned* *Shuttle departs for hotel*	

Day 3: Friday February 8, 2008

8:00	*Shuttle pickup at hotel*	
8:30 – 9:00	*Continental breakfast*	

Part 3: Research and reports on specialized program activities

9:00 – 9:05	Introduction to Day 3	Dr. Frank Richards
9:05 – 9:35 9:35 – 9:50	OEPA: Post-MDA Monitoring Plans *Discussion (Comments by Dr. Richards)*	Dr. Mauricio Sauerbrey
9:50 – 10:20 10:20 – 10:35	Uganda: Epidemiology for eliminatio	

ANNEX 6: THE CARTER CENTER RBP REPORTING PROCESSES

RBP Treatment Indices:

ANNEX 7
The Nigeria Lymphatic Filariasis (LF) Elimination and Urinary Schistosomiasis Control Initiatives

( ) b *Wuchereria bancrofti*, b b *Anopheline* . *Culex sp*. , , , b . , ( ), . *microfilariae*, b b b . *Microfilariae* b , b b . *Microfilariae* b - b . (. b & ., . .) b . (. b), b ( ) . b . . , ( ) b , , . (b) . *W. bancrofti* ( ).

.

20 ( ) b
1997-2001

ANNEX 8
Publications Pertaining to the Program

Hopkins D, Richards F, Ruiz-Tiben E, Emerson P, Withers P. Dracunculiasis, Onchocerciasis, Schistosomiasis, and Trachoma. *Annals of the New York Academy of Sciences,* no.

Cupp E, Richards F, Lammie P, Eberhard M. Efficacy of ivermectin against Onchocerca volvulus in Ghana. *The Lancet* 370, no. 9593 (2007):1123.

Lindblade KA, Arana B, Zea-Flores G, et al. Elimination of Onchocercia volvulus transmission in the Santa Rosa focus of Guatemala. *American Journal of Tropical Medicine and Hygiene* 77, no.2 (2007):334-41.

Winthrop KL, Proano R, Oliva O, et al. The reliability of anterior segment lesions as indicators of onchocercal eye disease in Guatemala. *American Journal of Tropical Medicine and Hygiene* 75, no.6 (2006):1058-62.

Richards F, Eigege A, Miri E, Jinadu MY, Hopkins DR. Integration of Mass Drug Administration Programs in Nigeria: The Challenge of Schistosomiasis. *Bulletin of the World Health Organization*. 84, no. 8 (2006): 273-76.

World Health Organization. Onchocerciasis (river blindness). Repor

Richards F, Eigege A, Pam D, et al. Mass ivermectin treatment for onchocerciasis: lack of evidence for collateral impact on transmission of Wuchereria bancrofti in areas of co-endemicity. *Filaria Journal* 4 (2005):6.

Richards F, Pam D, Kal A, et al. Significant

Dadzie Y, Neira M and Hopkins D. Final Report of the Conference on the eradicability of Onchocerciasis. *Filaria Journal 2*, no. 1 (2003):2.

Richards F, Boatin B, Sauerbrey M, Sékétéli A. Control of Onchocerciasis Today: Status and Challenges. *Trends in Parasitology* 17 (2001):558-63.

Richards F, Miri ES, Katabarwa M, et al. The Carter Center's assistance to river blindness control programs: Establishing treatment objectives and goals for monitoring ivermectin delivery systems on two continents. *American Journal of Tropical Medicine and Hygiene* 65, no.2 (2001):108-14.

World Health Organization. Report from the ninth InterAmerican Conference on Onchocerciasis, Antigua, Guatemala. *The Weekly Epidemiological Record* 76 (2001):18-22.

World Health Organization. Report from the tenth InterAmerican conference on onchocerciasis, Guayaquil, Ecuador. *The Weekly Epidemiological Record* 76 (2001):205-12.

1999 Program Review for Global 2000 River Blindness Programs Cameroon, Ethiopia, Nigeria, Oa50dASuda

Richards F, Hopkins D, Cupp E. Onchocerciasis control strategies (Reply to commentary: Varying programmatic goals and approaches to river blindness) [letter]. *The Lancet* 256 (2000):1523-4.

1998 Program Review for Global 2000 River Blindness Programs Cameroon, Ethiopia, Nigeria, OEPA, Sudan, and Uganda (17-19 February 1999). *The Carter Center* (1999).

Homeida M, Goepp I, Magdi A, Hilyer E, MacKenzie C. Medical achievements under civil war conditions. *The Lancet* 354 (1999):601.

Katabarwa M. Modern health services versus traditional engozi system in Uganda. *The Lancet* 354, no. 9175 (1999):343.

Katabarwa M, Mutabazi D. Community-directed, ivermectin-treatment programmes for onchocerciasis control in Uganda: the selection and validation of indicators for monitoring sustainability at the district level. *Annals of Tropical Medicine and Parasitology* 93, no. 6 (1999): 653-8.

Katabarwa M, Mutabazi D, Richards F. Ivermectin distribution for onchocerciasis in Africa. *The Lancet* 353 (1999):757.

Katabarwa M, Mutabazi D, Richards F. Monetary incentives and community-directed health programmes in some less-developed countries. *The Lancet* 354 (1999): 1909.

Katabarwa M, Mutabazi D, Richards F. The community-directed, ivermectin-treatment programme for onchocerciasis control in Uganda – an evaluative study (1993-1997). *Annals of Tropical Medicine and Parasitology* 93 (1999): 727-35.

Katabarwa M, Onapa A, Nakileza B. Rapid epidemiological mapping of onchocerciasis in areas of Uganda where Simulium neavei sl is the vector. *East Africa Medical Journal* 76, no.8 (1997).

World Health Organization. Report from the seventh InterAmerican conference on onchocerciasis in Cali, Colombia. *The Weekly Epidemiological Record* 74 (1999):9-16.

World Health Organization. Report from the eighth InterAmerican conference on onchocerciasis in Caracas, Venezuela. *Weekly Epidemiological Record* 74 (1999):377-9.

1997 Program Review for Global 2000 River Blindness Programs Cameroon, Ethiopia, Nigeria, OEPA, Sudan, and Uganda (25-27 February 1998). *The Carter Center* (1998).

Blanks J, Richards F, Beltran F, et al. The Onchocerciasis Elimination Program of the Americas: A history of partnership. *Pan American Journal of Public Health* 3 (1998):367-74.

Katabarwa M, Mutabazi D. "The selection and validation of indicators for monitoring progress towards self-sustainment in community-directed, ivermectin-treatment programmes for onchocerciasis control in Uganda." *Annals of Tropical Medicine and Parasitology* 92, no.8 (1998): 859-68.

Miri E. Problems and perspectives of managing an onchocerciasis control programme. *Annals of Tropical Medicine and Parasitology* 92 (1998): 121-8.

Mutabazi D, Duke B. Onchocerciasis control in Uganda: How can self-sustaining community-based treatment with ivermectin be achieved? *Annals of Tropical Medicine and Parasitology* 92 (1998):195-203.

Richards F, Miri E, Meredith S, et al. Onchocerciasis. In Global Disease Elimination and Eradication as Public Health Strategies. *Bulletin of the World Health Organization* 76, no. 2(1998):147-9.

Dracunculiasis and Onchocerciasis: Sudan. *Weekly Epidemiological Record* 72 (1997):297-301.

Hopkins D, Richards F. Visionary campaign: Eliminating river blindness. *Encyclopedia Britannica, Medical and Health Annual* (1997): 9-23.

River blindness (onchocerciasis): Progress in ivermectin distribution, Nigeria. *Weekly Epidemiological Record* 72 (1997):221-8.

Onchocerciasis, Nigeria. *Weekly Epidemiological Record* 71 (1996):213-5.

Onchocerciasis, progress towards elimination in the Americas. *Weekly Epidemiological Record* 71 (1996):277-80.

Richards F, Gonzales-Peralta C, Jallah E, Miri E. Community-based distributors in the delivery of ivermectin: Onchocerciasis control at the village level in Plateau State, Nigeria. *Acta Tropica* 61 (1996):137-44.

ANNEX 9: SUMMARIES OF SPECIAL PRESENTATIONS AT PROGRAM REVIEW

1. Cameroon and Uganda: Annual treatment impact on RB
Presented by Dr. Moses Katabarwa

Methods: b 10 (1996) 20 (1993). (b) 37%- 100%. 74%-100%. b 1996 , 719 10 b 2005, 838

1.5 b 2008.
b b b -
b b b
.

2) **The costs of extra treatment rounds** 2007, b b.
b . 2005
, b
(- ., ., ., *Transactions of the*


300,000
200,000
100,000
0

b

5. Lymphatic Filariasis in Eastern Africa

0-2% b (., 1999).
33/1000
(., 2000). . (2002) 12.2%

Step Two: ***Training of MALONCHO messages to message givers and recipients.***

Step Five: ***Measuring impact***

1)

2)

3)

8. Integration Applied: Mapping of urinary schistosomiasis and trachoma in Plateau and Nasarawa States

Presented by Mr. Jonathan King

( ) 5-9% 1-9 -b -

Y

Schistosoma hematobium

b

( )

65

8 65.

10%

b

50

b

9. Assessing the efficiency of integrated NTD programs
Presented by Dr. Deborah McFarland



ANNEX 10: ACKNOWLEDGEMENTS

. , . b , . , . b ,
. b , . , . - , . ,
. , . , . , . .
b.
.

“More precious than a diamond.”

. , b b .
b. (, 2001-2002).